

2 February 2017

Routing on the Internet

A rough outline



Olaf Kolkman
Chief Internet Technology Officer
kolkman@isoc.org
[@kolkman](#)

Outline

Internet Architecture in a nutshell

Addresses and Routing

The Routing Protocol




Acknowledgement: RIPE NCC Training Services
Some material herein is based on their
BGP Operations and Security Training course.

Different Players at Different Layers

Internet Architecture in a nutshell



Applications



The Internet is

A Network of
Independent
Networks

That exchange IP
traffic


Network

Application Layer: Applications use IP for connectivity

The Network Access Layer: Components in the Network Access Layer deliver IP connectivity

The IP Layer: provides a coherent mapping between the layers

(IP=Internet Protocol)




Applications

Applications are what the users care about

Most people conceive the utility of the various applications as the Internet

E-mail and WWW are just two applications, albeit successful ones

Business, voice and face communication, entertainment such as videos and games




Network


The layer that provides the IP to the customers

The Internet is made up out of many independently operated networks that all provide some level of network access

The network exchange IP packets between each other



Network of networks



Serving different markets

The Price of Bandwidth, in bulk, per Mbps

Highly competitive

Commodity

A EUR80 fiber cross connect:	\$0.01
Internet Exchange traffic:	\$0.25*
Backbone traffic Western Europe:	\$0.50
Transatlantic traffic, wholesale:	\$1
Internet Transit, wholesale:	\$2
Internet Transit, retail:	\$15
Broadband Internet, consumer:	\$50
National Ethernet service:	\$180
3G mobile data, national:	\$11,400
GSM voice call, national:	\$483,840
3G mobile data, roaming low:	\$834,000
3G mobile data, roaming high:	\$3,127,500
GSM voice call, roaming:	\$3,338,496
SMS Text Messages:	\$210,000,000
SMS Text Messages, roaming:	\$1,166,400,000


Western Europe, early-mid 2011 (based on 10Gbps or 300GB)



IP addressing, Routing, and DNS

Makes for the global connectivity.


Including a whole slew of other standards




Addressing and Routing

Internet Architecture in a nutshell








AS Path: Reachability Information



Announcements







AS Types

Multihomed:

Multiple neighbors

Stub:

Single neighbor




Transit:

Offers connectivity between ASes

Internet Exchange Point

Offers direct connectivity between ASes





Thank you.

Olaf Kolkman

Chief Internet Technology Officer

kolkman@isoc.org

@kolkman

Visit us at
www.internetsociety.org
Follow us
@internetsociety

Galerie Jean-Malbuisson 15,
CH-1204 Geneva,
Switzerland.
+41 22 807 1444

1775 Wiehle Avenue,
Suite 201, Reston, VA
20190-5108 USA.
+1 703 439 2120

